— CREATES MOBILE WORKPLACES —

PROFESSIONAL
Van Racking



SYSTEM EDSTRÖM



CREATES MOBILE WORKPLACES

Drawer system



Four widths



Two depths & three heights





Drawers

Depth	Width	Height	⇨	Kg	Part.No
300	302	110	105%	3,4	2331
300	302	220	105%	4,8	2332
300	392	110	105%	3,8	2341
300	392	220	105%	5,4	2342
300	392	165	105%	4,6	2343
300	605	110	105%	4,9	2361
300	605	220	105%	7,2	2362
300	784	110	105%	5,7	2371
300	784	220	105%	7,2	2372
470	302	110	105%	4,7	2431
470	302	220	105%	6,5	2432
470	392	110	105%	5,2	2441
470	392	220	105%	7,2	2442
470	392	165	105%	6,3	2443
470	605	110	105%	6,4	2461
470	605	220	105%	9,1	2462
470	784	110	105%	7,8	2471
470	784	220	105%	10,9	2472

Combine our drawers to a racking that optimised to suit you and your business.

Payload 60 kg, uniformly distributed.





Top plates

Depth	Width	Height	Kg	Part.No
300	302	1	0,7	2533
300	392	1	0,9	2534
300	605	1	1,5	2536
470	302	1	1,1	2543
470	392	1	1,5	2544
470	605	1	2,3	2546

Support plinths

Depth	Width	Height	Kg	Part.No
300	302	55	0,7	2633
300	392	55	0,8	2634
300	605	55	1,1	2636
470	302	55	0,9	2643
470	392	55	1,0	2644
470	392	120	2,0	2645
470	605	55	1,1	2646

For 784 mm wide drawers use 2 pcs of 392 mm wide support plinths.




Drawer inserts

Depth	Width	Height	Kg	Part.No
300	127	70	0,2	3001
300	172	70	0,3	3003
470	127	70	0,4	3005
470	172	70	0,4	3007

Drawer inserts, complete with dividers.

Fitting guide

Drawer width	Inserts	Drawer width	Inserts
302 mm	127 mm, 2 pcs	605 mm	127 mm, 3 pcs + 172 mm 1 pcs
392 mm	172 mm, 2 pcs	784 mm	127 mm, 3 pcs + 172 mm, 2 pcs



Drawer foam inserts


Fits in	Thickness	Part.No
2331 & 2332	3	5233
2341, 2342 & 2343	3	5234
2361 & 2362	3	5236
2371 & 2372	3	5237
2431 & 2432	3	5243
2441, 2442 & 2443	3	5244
2461 & 2462	3	5246
2471 & 2472	3	5247


Benefit from a quieter life by using lining foam in the drawers.












Shelves

Depth	Width	Rubber mat	Kg	Part.No
300	302	6600	1,1	1600
300	392	6602	1,3	1602
300	605	6604	1,9	1604
300	694	6606	2,1	1606
300	784	6608	2,3	1608
300	907	6610	3,5	1610
300	997	6612	3,7	1612
300	1086	6614	4,0	1614
300	1176	6616	4,3	1616
300	1210	6618	4,4	1618
300	1299	6620	4,8	1620
300	1389	6622	5,0	1622
300	1512	6624	5,4	1624
300	1568	6626	5,6	1626
300	1960	6632	9,5	1632
400	605	6554	2,9	1504
400	784	6558	3,6	1508
400	907	6560	4,0	1510
400	997	6562	4,4	1512
400	1176	6566	5,1	1516
400	1389	6572	6,0	1522
400	1568	6576	6,8	1526
470	302	6700	1,5	1700
470	392	6702	1,8	1702
470	605	6704	3,4	1704
470	694	6706	3,8	1706
470	784	6708	4,2	1708
470	907	6710	4,8	1710
470	997	6712	5,2	1712
470	1086	6714	5,6	1714
470	1176	6716	6,1	1716
470	1210	6718	6,1	1718
470	1299	6720	6,5	1720
470	1389	6722	6,9	1722
470	1512	6724	7,5	1724
470	1568	6726	8,0	1726
470	1960	6730	13,0	1730
160	784	6800	1,5	1800
160	997	6802	1,9	1802
160	1176	6804	2,2	1804
160	1389	6805	2,6	1805
160	1568	6806	2,9	1806
160	1160-2120	6803	4,3	1810


Height 65 mm. 400 mm deep shelves should be mounted in 300 mm deep shelf frames.

Payload, uniformly distributed load:
Shelf width 300 - 1600 mm 70 kg.
Shelf width 1601 - 1960 mm 50 kg.
Adjustable shelves 30 kg.




Shelf dividers

Depth	Height	Information	Kg	Part.No
-	110	Brackets, per pair	-	2753
300	110		0,2	2754
470	110		0,2	2756



Adjustable shelves with flipfront

Depth	Width	Rubber mat	Kg	Part.No
160	1830-3460	6807	9,3	1813
300	1830-3460	6640	13,5	1815



Ball bearing kit for shelves

Depth	Height	⇨	Kg	Part.No
313	74	105%	2,5	2860
483	74	105%	3,8	2862

Mount a shelf in a ball bearing kit to make it extendable. This allows you to have more shelves, with easy access, in your van racking.



Payload 40 kg uniformly distributed load.

Application guide

Racking width	Shelf width in ball bearing kit
392 mm	302 mm
694 mm	605 mm
784 mm	694 mm
997 mm	907 mm
1086 mm	997 mm
1176 mm	1086 mm
1299 mm	1210 mm
1389 mm	1299 mm



Shelf for cable reels

Depth	Width	Height	Kg	Part.No
300	784	114	3,0	1688
300	Extra divider	100	0,2	1689

One movable divider is included. Payload 30 kg uniformly distributed load.




Dropfront shelves

Depth	Width	Rubber mat	Kg	Part.No
300	605	6604	2,6	3604
300	784	6608	3,2	3608
300	907	6610	3,5	3610
300	997	6612	4,0	3612
300	1176	6616	4,5	3616
470	605	6704	3,7	3704
470	784	6708	4,5	3708
470	907	6710	5,0	3710
470	997	6712	5,5	3712
470	1176	6716	6,3	3716

Height 90 + 27 mm.

Payload 70 kg uniformly distributed load.



Drop fronts

Depth	Width	Height	Kg	Part.No
38	605	110	0,9	3804
38	605	220	1,5	3805
38	784	110	1,2	3808
38	784	220	1,9	3809
38	907	110	1,3	3810
38	907	220	2,0	3811
38	997	110	1,4	3812
38	997	220	2,3	3813
38	1176	110	1,7	3816
38	1176	220	2,7	3817
38	1210	220	2,5	3819
38	1389	220	2,8	3823
38	1568	220	3,1	3827

Supplied with fixing brackets.




Dividers for dropfront Shelves

Depth	Height	Kg	Part.No
300	110	0,3	1990
300	220	0,5	1992
470	110	0,4	1994
470	220	0,8	1996



Plastic bin for shelves

Depth	Width	Height	Kg	Part.No
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057




Transparant lid for plastic bins

Depth	Width	Fits	Kg	Part.No
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067



Dividers for plastic bins

Width	Height	Fits	Part.No
140	154	3050 ,55	3070
230	154	3052, 57	3072



Bracket for dropfront shelves

Depth	Kg	Part.No
300	0,1	3081
470	0,2	3082

No need for a front to your dropfront shelf when your bins snap into this bracket.



Fitting guide

Shelf width	Shelves		Dropfront shelves with front		Dropfront shelves without front	
	145 mm	235 mm	145 mm	235 mm	145 mm	235 mm
302 mm	2					
392 mm	1	1				
605 mm	4		2	1	4	
694 mm	3	1				
784 mm	2	2		3	2	2
907 mm	6		4	1	6	
997 mm	5	1	6		5	1
1086 mm	4	2				
1176 mm	3	3	4	2	3	3
1210 mm		5				
1299 mm	7	1				
1389 mm	6	2				
1512 mm	10					
1568 mm	4	4				
1960 mm	5	5				









Tool case

Depth	Width	Height	Kg	Part.No
297	354	82	1,6	6302

The case comes with a mix of inserts. Additional inserts can be purchased separately.

Case inserts

Depth	Width	Height	Part.No
40	77	68	6317
81	77	68	6318
163	77	68	6319


Will also fit pegboard tray 4360 and 4362, page 22.



Tool case compartment

Depth	Width	Height	⇨	Kg	Part.No
300	392	110	100%	2,5	6300


With the tool case compartment you can fit a case in a stack of drawers.




Tool case bracket

Depth	Kg	Part.No
300	0,5	6305
470	0,7	6306

The Edström portable tool case can be mounted directly on the shelf frame with 2 brackets.





Flexi shelf frame

Depth	Width	Height	Info.	Kg	Part.No
112	32	1788	2/set	11,8	1380
112	31	1788	1/set	4,9	1382

Flexi shelf support

Depth	Width	Height	Shelf width	Kg	Part.No
275	830	83	784	3,1	1308
275	1043	83	997	3,5	1312
275	1222	83	1176	3,9	1316
275	1435	83	1389	4,4	1322
275	1614	83	1568	4,8	1326


Flexi shelf bracket

Info.	Kg	Part.No
160 mm deep shelves, 2/set	0,6	1340
300, 400 & 470 mm deep shelves, 2/set	1,4	1342

Flexi gas damper

Info.	Kg	Part.No
2/set	0,1	1386





The shelf frames can be cut to fit your configuration. Loading capacity increases to 100 kg per shelf when mounted in a Flexirack. Shelves are adjustable to 4 pre-set angle on installation of 0, 4, 8 & 12 degrees.

Choose your shelves , 300, 400 and/or 470 mm depth. Our dropfront shelves will also fit, 300 and 470 mm depth. A shelf bracket will fit all different shelf depths.

Use the shelf bracket if you want to combine 160 mm deep shelves with other depths. 160 mm shelves are fixed, not foldable.






Installation kits

Information	Parts	Part.No
Mixed parts, size 1	146	5501
Mixed parts, size 2	238	5502
For Flexi system		5509
For vice and vice holder	57	5510
False floor installation kit	93	



Flipfront

Depth	Kg	Part.No
160	0,3	1831
300	0,5	1833



Shelf joint

Depth	Width	Height	Kg	Part.No
300	400	62	1,3	1834

If you need a shelf width not included in our standard range, use the shelf joint to shorten a shelf or connect two shelves to you desired width. (Only with 300 mm deep shelves.)




Cross brace


Kg	Part.No
0,8	2850

The brace is suitable for all sizes of sliding shelves and shelf frames above 505mm. It can also be used in conjunction with our standard shelves up to 1176mm in length.






ACCESSORIES





Pos.	Description
1	Universal hook
2	Cable/Hose rack
3	Pegboard basket
4	Vice and holders
5	Case support
6	Plastic bins
7	Drawer inserts
8	Shelf dividers
9	Tool case/File holder
10	Tool case
11	Gas bottle holders
12	Can/Tube holder

Accessory package No. 1	Accessory package No. 2	Accessory package No. 3
		
Art.No	**Art.No**	**Art.No**
F11001	F11002	F11004
Pegboard not included.	*Pegboard not included.*	*Pegboard not included.*

SYSTEM EDSTRÖM

Up to 5 years warranty

Crash tested

Made in Sweden

MODUL STOR

MODUL-STOR HUNGARY KFT.